Applicant: Ozluturk et al. Application No.: 10/086,330

IN THE CLAIMS

1. (Currently amended) A method for operating a subscriber unit to

regulate transmission power comprising:

transmitting a periodic signal at an initial predetermined power level;

repeatedly transmitting the periodic signal, each transmission

occurring at successively higher power levels;

receiving a confirmation signal at a specific power level which is based,

in part, upon said periodic signal;

terminating transmission of the periodic signal and maintaining a

power level present at a time that the confirmation signal is received at said

subscriber unit; and

transmitting an access signal at the maintained power level, wherein

the access signal includes an access code and the periodic signal includes a short

code which is shorter than the access code.

2. (Original) The method of claim 1 wherein said initial predetermined

power level is lower than a power level required for detection by another

communicating station.

Claims 3 and 4 (Canceled)

- 2 -

Applicant: Ozluturk et al. Application No.: 10/086,330

5. (Currently amended) The method of claim 4 claim 1 wherein said

short code has a period of one symbol.

6. (Currently amended) The method of claim 1 wherein said periodic

signal comprises a short code, and said subscriber unit periodically modifies the

short code.

7. (Currently amended) A method for operating a subscriber unit for

regulating transmission power comprising:

transmitting a periodic signal at an initial predetermined power level;

repeatedly retransmitting said periodic signal, each retransmission

occurring at successively high power levels;

maintaining a power level present upon receipt of a confirmation

signal; and

transmitting an access signal at the maintained power level, the access

signal including an access code, wherein the periodic signal is a short code which is

shorter than the access code

employing said maintained power-level upon initiation of a subsequent

operation.

- 3 -

Applicant: Ozluturk et al. Application No.: 10/086,330

8. (Original) The method of claim 7 wherein said initial predetermined power level is lower than a power level required for detection by another communicating station.

Claims 9 and 10 (Canceled)

- 11. (Currently amended) The method of claim 7 10 wherein said short code is an integer multiple of said access code.
- 12. (Currently amended) The method of claim 7 11 wherein said short code is modified periodically.
- 13. (Currently amended) The method of claim 7 10 wherein said short code has a period of one symbol.